




160a 110/240v ARC/MMA WELDER SPECIFICATIONS

The MMA160DV is a 160Amp portable MMA Stick Arc welder featuring Inverter technology, runs from a 110/240V supply. It can easily weld 4.0mm Electrodes. Comes with all welding leads.



FEATURES & SPECIFICATIONS

- Dual Voltage Stick/Arc Welder
- Use anywhere with a 110/240v supply
- True 4.0mm electrode capacity
- Complete kit - supplied with all cables
- All you need is some electrodes and you're arc welding!
- 160 Amp welding output
- 110v/240V 16amp Input Required
- Generator friendly - 6.2KVA Recommended
- Duty Cycle 60% @ 160Amps
- Electrode Capacity 1.6 –4.0mm
- Cooling fan with thermostatic protection
- Package Includes - R-Tech MMA160DV arc welder, 3M Earth & MMA Leads, Mains Cable, Manual
- Net Weight 14KG
- Dimensions 425x195x310

2 Year Warranty



ORDER ONLINE @
www.r-techwelding.co.uk

ORDER BY PHONE
01452 733933



30a 110/240v PLASMA CUTTER SPECIFICATIONS

The P30DV Dual Voltage Plasma Cutter is a 30 Amp cutting machine with a genuine 8mm clean cut, a 240v/110v input, easy arc starting and benefits from low cost consumables



FEATURES & SPECIFICATIONS

- 30amp cutting power
- Amperage adjustment 15-30 amps
- High Duty cycle 35% @ 30amps
- 110V/240V Input Fuse rating 13amps

- 8mm genuine clean cut on steel
- 12mm severance cut on steel
- 6mm genuine clean cut on alloy and stainless steel

- HF arc starting enables easy starting of cut
- Digital display for amps - Ideal if you need your equipment calibrating for ISO requirements.
- Industrial quality chassis
- Cooling fan with thermostatic protection
- Quick Fit Torch with long life consumables

- Nett Weight 14Kg - Size 390x190x290
- Air Consumption 100Ltr/Min (3.5CFM) @ 3.45 Bar (50PSI)
- Handy Carry Strap

- Package: R-Tech Plasma30DV plasma cutter, 4.5m plasma cutter torch, earth lead, mains cable, air pressure regulator and PCL fitting, owners manual, torch consumables kit - 5 x tips/electrodes, 3x Shield Cups, 3 x Gas distributors

2 Year Warranty



ORDER ONLINE @
www.r-techwelding.co.uk

ORDER BY PHONE
01452 733933



200a 110/240v TIG WELDER SPECIFICATIONS

The TIG200PDC-DV is a 200 Amp DC (Steel) Dual Voltage (110/240v) TIG Welder complete with fully featured pulse welding, remote foot pedal option, HF arc starting and a high duty cycle



FULLY FEATURED PULSE WELDING
ADJUST FREQUENCY, WIDTH & AMPERAGE

WELDS STEELS
6-7mm

FEATURES & SPECIFICATIONS

- 5-200A TIG Output @ 60% Duty Cycle (240v)
- 5-140A TIG Output @ 60% Duty Cycle (110v)
- 5-180A MMA Output @ 60% Duty Cycle (240v)
- 5-120A MMA Output @ 60% Duty Cycle (110v)
- 110/240V Single Phase Input (Auto Switching)
- Full Featured Professional Pulse TIG welding Inc Frequency, Width and Amperage
- HF-Start
- Slope up 0 - 5 Seconds
- Slope down 0 - 5 Seconds
- Pulse Frequency range 0.5Hz - 25Hz
- Pulse Width 0.1 - 0.9 Seconds
- Pulse Amperage 5 - 200 amps
- Gas post flow 1 -10 Seconds
- 2T/4T Trigger Operation (trigger latching)
- Industrial quality metal chassis
- L.E.D Amperage Display (actual not preset)
- Remote foot pedal option for the ultimate weld pool control
- Cooling fan with thermostatic protection
- Nett Weight 18KG - Dimensions (mm) 425x195x310
- Generator Friendly - Generator must be minimum of 8KVA and fitted with AVR (auto voltage regulation)
- Package Includes, R-Tech TIG200DV TIG welder, 4m WP26 TIG torch, earth lead, MMA Lead, gas hose, mains cable, argon regulator, owners manual, torch consumables kit including tungsten's

2 Year Warranty



ORDER ONLINE @
www.r-techwelding.co.uk

ORDER BY PHONE
01452 733933